

FAMILY DATASHEET

UFO-ZM


UFO-ZM

Specially designed for high bay light, the angle can be freely adjusted before 60 degrees, 90 degrees, and 110 degrees, suitable for lamps of different powers, with good waterproof rating.

UFO-ZM


For up to 2835 size LED packages.

- Design LED : Up to 2835 LED packages
- Compatibility : Up to 2835 LED packages
- Zhaga : N/A
- Material : Optical PC(clear)
- Fasten : Frame+Screw
- RoHS : Yes
- Size : D182/D224/D263




PRODUCTS


60°



90°



110°




FAMILY DATASHEET


UFO-ZM

LED layout


S01.01.01.395_UFO-ZM-D182-9R-C40



S01.01.01.394_UFO-ZM-D224-12R-C52



S01.01.01.396_UFO-ZM-D262-15R-C51



*Notes

- 1.All dimensions are in millimeters
- 2.The thickness of the PCB is 1.2mm

Usage and Maintenance

- 1) If necessary, clean lenses with mild soap, water and soft cloth.
- 2) Never use any commercial cleaning solvents on lenses, like alcohol.
- 3) Please handle lens with wearing gloves, skin oils may damage lens or its optical characteristic.

Disclaimer

When gule pass through holes, columns and other structures, or part of the thin structure, will form a weld line. Please note that flow lines and weld lines on the external surfaces of the lenses are acceptable if the optical performance of the lens is within the specifications.

The typical beam angle will be changed by different color, chip size and chip position tolerance. The typical total beam angle is the full angle measured where the luminous intensity is half of the peak value. The chart data is for reference only. Please test the data again before using.

The appearance and specifications of the product can be changed to improve the quality and/or performance without notice.

SunLumin assumes no liability of any kind for the possible deviation from any provided data or any other damage resulting from the usage of the provided data.

Last update: 13/Mar/25

SUNLUMIN OPTICS CO.,LTD

2nd Floor, Building D, No.56 Liuhe Road, Tangkeng Community,
Henggang Street, Longgang District, Shenzhen

E
info@sunlumin-optics.com

www.
sunlumin-optics.cc