

FAMILY DATASHEET

MAXWELL-8

MAXWELL

50 x 50 mm modular solutions. The most versatile modular product family especially designed for street and area lighting, but also suitable for widerange of other applications

MAXWELL-8


50 x 50 mm 8 lens (2X3+2) arrays optimized for 5050 size LED packages.

- Design LED : 5050 LED packages
- Compatibility : 5050/3535/3030/2835
- Zhaga : N/A
- Material : Optical PC/PMMA(clear)
- Fasten : Screw
- RoHS : Yes



PRODUCTS:


S01.01.01.255
MAXWELL-8-90x120



90x120°

Designed for street lighting,
oval beam pattern.


S01.01.01.257
MAXWELL-8-60x90



60x90°


Designed for street lighting,,
oval beam pattern.

S01.01.02.336/01.362/02.4
08
MAXWELL-8-30




30°

S01.01.02.337/01.363/02.40
9




60°

0
MAXWELL-8-90



90°


S01.01.02.339/02.411
MAXWELL-8-120B




120°

FAMILY DATASHEET


MAXWELL-8

S01.01.02.354/02.414
MAXWELL-8-T4

T4


IESNA Type IV SEMICutoff
beam with added house side
backlight.

S01.01.02.359
MAXWELL-8-T2S-CC

T2S


IESNA Type II SEMICutoff
beam with added house side
backlight.

S01.01.01.432
MAXWELL-8-15X60

15X60°


PRODUCTS:

S01.01.01.429
MAXWELL-8-30X48

30X48°


Designed for area lighting and
applications demanding
a wide oval beam pattern

S01.01.01.430
MAXWELL-8-A50

A50


Designed for sport lighting, a
single asymmetric

S01.01.01.398
MAXWELL-8-T3M-CB

T3M

IESNA Type III-M Cutoff
beam with added house side
backlight.

S01.01.02.368/02.413
MAXWELL-8-T2

T2

Designed for area lighting and
applications demanding
a wide oval beam pattern



S01.01.02.359/02.412
MAXWELL-8-T2S-CC

T2S

Designed for sport lighting, a
single asymmetric

LED layout

FAMILY DATASHEET

MAXWELL-8



*Notes

- 1.All dimensions are in millimeters
- 2.We recommend LED assembly tolerance of ± 0.1 mm.

Usage and Maintenance:

- 1) If necessary, clean lenses with mild soap, water and soft cloth.
- 2) Never use any commercial cleaning solvents on lenses, like alcohol.
- 3) Please handle lens with wearing gloves, skin oils may damage lens or its optical characteristic.

Notes:

Please test the data again before using. The chart data is for reference only.

SUNLUMIN OPTICS CO.,LTD

2nd Floor, Building D, No.56 Liuhe Road, Tangkeng Community,
Henggang Street, Longgang District, Shenzhen

E
info@sunlumin-optics.com

www.
sunlumin-optics.com