

# **FAMILY DATASHEET**

# YOUYOU-D35-G2

# YOUYOU-G2

Optimizing the uniform light for multi-function down lighting

## YOUYOU-D35-G2

Ø35 mm lenses for retrofits, downlights and compact tracklights, up to 9 mm LES size COBs. Hyper-reflective white PC holders and optical grade PMMA.

## Material specifications:

- Lens : Optical PMMA(clear)
- Holder : PC(white)
- Base : PC(white)




## Compatibility:

- Base-A Version compatible with COBs of max 13.7 x 13.7mm packages and max 6 mm LES size
- Base-B Version compatible with COBs of max 16 x 16mm packages and max 9 mm LES size

/in
a
b
ict
du
50
Щ
<b>%</b> /
먬

版本 REV 日期 DATE 変更内容 CHANGE (ITEM) A0 2024-2-25 新建 NEW			
N BEV			
	翔	2024-2-25	
	版本 REV	AO	



# SUNLUMIN OPTICS CO.,LTD

1. The size of the ordered number in the figure needs to be controlled; 2. The product shall not have lack of glue, bubbles, shrinkage, black spots and other abnormalities; 3. Dimensions with unmarked tolerances refer to GBT14486 tolerance table.

Haiqiu

审核 Checked

<del>:</del>:

比例 Scale

Yvan

设计 Designed

⊠ View JG Wu

批核 Approved

₹

平 Unit




# **FAMILY DATASHEET**

# YOUYOU-D35-G2


# PRODUCTS:

S09.01.01.029\_YOUYOU-D35-15A\_G2




15° Extra Narrow beam

S09.01.01.030\_YOUYOU-D35-15B\_G2



24° Narrow beam

S09.01.01.031\_YOUYOU-D35-24A\_G2




24° Narrow beam

with holder and suitable for 6 with holder and suitable for mm LES size COBs.

9mm LES size COBs.


with holder and suitable for 6mm LES size COBs.

S09.01.01.032\_YOUYOU-D35-24B\_G2




30° Medium beam

S09.01.01.033\_YOUYOU-D35-36A G2



36° Medium beam

S09.01.01.034\_YOUYOU-D35-36B\_G2




42° Wide beam

with holder and suitable for 9mm LES size COBs.

with holder and suitable for 6mm LES size COBs.

with holder and suitable for 9mm LES size COBs.


# S09.01.01.035\_YOUYOU-D35-50B\_G2



50° Wide beam

with holder and suitable for 9mm LES size COBs.

S09.01.01.036\_YOUYOU-D35-50A\_G2



45° Wide beam

with holder and suitable for 6mm LES size COBs.

# Usage and Maintenance:

- 1) If necessary, clean lenses with mild soap, water and soft cloth.
- 2) Never use any commercial cleaning solvents on lenses, like alcohol.
- 3) Please handle lens with wearing gloves, skin oils may damage lens or its optical characteristic.

# Notes:

Please test the data again before using. The chart data is for reference only.

Last update:2024-8-12

**SUNLUMIN OPTICS CO.,LTD** 

2nd Floor, Building D, No.56 Liuhe Road, Tangkeng Community, Henggang Street, Longgang District, Shenzhen

E info@sunlumin-optics.com www. sunmlumin-optics.com